Unmet need for interprofessional education in paediatric cancer a scoping review

Topperzer, Martha Krogh; Hoffmann, Marianne; Roug, Louise Ingerslev; Larsen, Hanne Bækgaard; Lausen, Birgitte; Schmiegelow, Kjeld; Sørensen, Jette Led

Published in:
Supportive Care in Cancer

DOI:
[10.1007/s00520-019-04856-4](https://doi.org/10.1007/s00520-019-04856-4)

Publication date:
2019

Document version
Publisher's PDF, also known as Version of record

Document license:
[CC BY](#)

Citation for published version (APA):
Topperzer, M. K., Hoffmann, M., Roug, L. I., Larsen, H. B., Lausen, B., Schmiegelow, K., & Sørensen, J. L. (2019). Unmet need for interprofessional education in paediatric cancer: a scoping review. *Supportive Care in Cancer*, 27, 3627–3637. <https://doi.org/10.1007/s00520-019-04856-4>

Unmet need for interprofessional education in paediatric cancer: a scoping review

Martha Krogh Topperzer¹ · Marianne Hoffmann² · Louise Ingerslev Roug¹ · Hanne Bækgaard Larsen¹ · Birgitte Lausen² · Kjeld Schmiegelow² · Jette Led Sørensen³

Received: 13 September 2018 / Accepted: 9 May 2019 / Published online: 24 May 2019
© The Author(s) 2019

Abstract

Purpose Despite improved treatment and care, children and adolescents diagnosed with cancer continue to die, while many of those cured are burdened by treatment-related sequelae. The best clinical management of children and adolescents with cancer depends on healthcare professionals with various skills and expertise. Complex treatment, care and rehabilitation require collaboration between healthcare professionals. The purpose of this scoping review is to identify and evaluate existing interprofessional education in paediatric cancer.

Methods We utilised the scoping review methodology and searched PubMed, Scopus and Education Resources Information Center. Inclusion criteria were postgraduate studies targeting more than one profession and evaluation of the educational intervention. We applied Kirkpatrick's modified interprofessional education outcomes model to systematise outcomes.

Results Of 418 references, nine studies fulfilled the inclusion criteria. The design, strategy and content of all the studies were heterogeneous. None of the interprofessional educations systematically evaluated knowledge, skills, attitudes or the effects on patient outcomes or quality of care.

Conclusion There is a lack of well-structured, interprofessional education in paediatric cancer that has undergone evaluation. Paediatric cancer may benefit from systematic education and evaluation frameworks since interprofessional education could potentially strengthen the treatment, care and rehabilitation for children and adolescents with cancer.

Keywords Interprofessional education · Evaluation · Curriculum · Paediatric oncology · Cancer

Abbreviations

ASPHO The American Society of Pediatric Hematology/Oncology
ERIC Education Resources Information Center
NOBOS Nordic Society of Pediatric Oncology Nurses

NOPHO Nordic Society of Paediatric Haematology and Oncology
PRISMA Preferred Reporting Items for Systematic Reviews and Meta-Analyses

Electronic supplementary material The online version of this article (<https://doi.org/10.1007/s00520-019-04856-4>) contains supplementary material, which is available to authorized users.

✉ Martha Krogh Topperzer
martha.krogh.topperzer@regionh.dk

¹ Paediatric Oncology Research Laboratory, Department of Paediatrics and Adolescent Medicine, Rigshospitalet, University of Copenhagen, Blegdamsvej 9, 2100 Copenhagen, Denmark

² Department of Paediatrics and Adolescent Medicine, Rigshospitalet, University of Copenhagen, Copenhagen, Denmark

³ Juliane Marie Centre for Children, Women and Reproduction, Rigshospitalet, University of Copenhagen, Copenhagen, Denmark

Introduction

Despite improved treatment and care, children and adolescents diagnosed with cancer in the Western world continue to die, while many of those cured are burdened by treatment-related sequelae [1, 2]. The best clinical management of children and adolescents with cancer depends on healthcare professionals with various skills and expertise [3] as the treatment, care and rehabilitation of children and adolescents with cancer is so complex that it surpasses the responsibilities and abilities of one single profession. To provide the best treatment and care, healthcare professionals are thus required to collaborate [4, 5] and interprofessional teams appear

to be a vital component of the quality of care for children and adolescents with cancer and their families [6, 7]; however, the evidence supporting this remains limited.

In the process of designing an interprofessional education in paediatric cancer at Rigshospitalet, the largest paediatric cancer department in Copenhagen, Denmark, this research group found it relevant to explore if any interprofessional education in paediatric cancer existed. A steering group was established comprising oncological consultants (MHH, BL), the professor (KS), the head nurse of the Children and Adolescents Unit (MMA), the head nurse of the paediatric cancer department (PR), the leader of psychosocial research in Laboratory of Paediatric Oncology (HBL) and head of education and associate professor (JLS and PhD student (MKTOP)).

Interprofessional education should be strategically planned based on a curriculum to continuously ensure and strengthen high-quality care for children and adolescents with cancer and their families. In medical education, various frameworks exist [8–10], such as the six-step approach to curriculum development [11].

A curriculum can be defined as “a planned educational experience” [11] that includes short- and long-term learning experiences. The curriculum comprises problem identification, needs assessment, aims and objectives, educational strategies, implementation, assessment and evaluation and feedback [11].

Interprofessional education can be defined as “occasions when two or more professionals learn with, from and about each other to improve collaboration and the quality of care” [12]. A systematic review of the effects of interprofessional education identified empirical research that supports the underlying assumption that interprofessional education enhances the delivery of safe, high-quality care for patients [13]. Further, that learners react positively to interprofessional education by improving collaborative attitudes and perceptions, and report improvements in both knowledge and skills on a variety of outcomes [13].

This assumes that an education intervention improves how healthcare professionals work together, which in turn may lead to improved patient outcomes [13]. Interprofessional education has been established and in some settings shown to have a positive impact on the knowledge, attitudes and behaviours of healthcare professionals [14]. To derive the most benefit from educational interventions, medical education can be viewed as a health technology applying evidence-based practice and evaluation for clinical practice [15]. However, interprofessional outcomes are not easily monitored and research addressing interprofessional education is inherently complex [13, 16].

Curriculum outcomes typically cover cognitive (knowledge), psychomotor (skills) and affective (attitude) objectives, as defined by Bloom’s taxonomy [11]. A robust evaluation design is essential to report changes in the knowledge, skills

and attitudes of healthcare professionals [14, 17, 18]. According to Kirkpatrick’s outcome evaluation model, which dates from the 1950s [10, 19], learning takes place when a change is registered in knowledge, skills or attitudes. The model pragmatically assists in framing potential areas and purposes of evaluation. Kirkpatrick’s model has been widely applied in the assessment of interprofessional education [20]. Barr and colleagues extended the model to capture more detailed outcomes relevant to interprofessional education and also incorporated a level of benefits to patients as shown in Table 1 [14, 20].

Health education research has widely applied scoping reviews [21–25] to identify key concepts in specific research areas, especially complex ones that have not been reviewed earlier [26]. According to Arksey and O’Malley, a scoping review can examine the extent, range and nature of research activity; determine the value of undertaking a full systematic review; and summarise and disseminate research findings but also identify research gaps in the existing literature [26]. The scoping review methodology differentiates from other review methods such as the Preferred Reporting Items for Systematic Reviews and Meta-Analyses (PRISMA) in several ways [27]. Most notably, the research questions for scoping reviews are more broadly defined compared with systematic reviews’ research questions. This leads to the inclusion of all types of methods as opposed to specific methods in systematic reviews [27]. Scoping reviews can contribute to generating hypotheses and chart the data according to key issues rather than synthesizing and aggregating findings as in a systematic review [26, 28].

The purpose of this scoping review is to identify and evaluate existing interprofessional education in paediatric cancer.

Methods

We applied Arksey and O’Malley’s scoping review stages 1–6 [26]. Table 2 provides an overview of how we applied the scoping review stages in this study.

Stage 1: Identifying the research question In the process of designing an interprofessional education in paediatric cancer, a literature search was needed to identify existing education. Our research question was formulated to encompass the broad aspects of education planning and evaluation in paediatric cancer.

Research question:

- What does the literature reveal about interprofessional education in paediatric cancer?

With this broad research question, we wish to examine the extent, range and nature of educational activities in paediatric cancer, specifically explore if and how education programmes

Table 1 Classification of Kirkpatrick's interprofessional education outcomes model modified by Barr et al. 2005

Level	Outcome	Details
Level 1	Reaction	Learner's views on the learning experience and its interprofessional nature
Level 2a	Modification of attitudes/perceptions	Changes in reciprocal attitudes or perceptions between participants groups. Changes in perception or attitude toward the value and/or use of team approaches to caring for a specific client group
Level 2b	Acquisition of knowledge/skills	Including knowledge and skills linked to interprofessional collaboration
Level 3	Behavioural change	Identifies individuals' transfer of interprofessional learning to their practice setting and their changed professional practice
Level 4a	Change to organisational practice	Wider changes in the organisation and delivery of care
Level 4b	Benefits to patients/clients	Improvements in health or well-being of patients/clients

This model describes evaluation of educational programmes and is based on Kirkpatrick [19] and modified to interprofessional education by Barr et al. [20]

are evaluated and determine the nature of the reported outcomes.

Stage 2: Identifying relevant studies An information specialist assisted in generating a search strategy based on keywords involving the research question: (Oncology OR Hematology) AND (“Pediatric medicine” OR Pediatrics OR “Adolescents medicine”) AND (Curriculum OR “Education programme” OR “Educational programme” OR “Interprofessional education” OR “Interdisciplinary education” OR Program Development OR Postgraduate).

We searched the following databases with educational interventions: PubMed, Scopus and Education Resources Information Center (ERIC). The searches were not limited by date, country of origin or original published language. Figure 1 provides a flowchart of the studies identified and how they were selected.

The scoping review methodology allows for inclusion of grey literature [26], which can be defined as “anything that has not been published in traditional format, or in library parlance, lacks bibliographic control [...] this includes [...] conference proceedings, conference posters [...]” [29].

Table 2 Application in this study of scoping review methodology based on Arksey and O'Malley and inspired by Reeves et al. 2017

Review stage based on Arksey and O'Malley [26]	Specifications on how we applied stages in this study
1: Identifying the research question	In the present study, we defined broad inclusion criteria to encompass the wide-ranging aspects of education planning and evaluation in paediatric oncology and to find as many relevant articles as possible; defining keywords such as paediatric, oncology and haematology has implications for the depth and range of included studies.
2: Identifying relevant studies	We searched databases for identification of relevant studies; scoping methodology permits comprehensive searches of e.g. electronic databases, lists of articles, conference papers and grey literature, such as websites.
3: Study selection	We applied broad inclusion and exclusion criteria both before and after the search and subsequently defined which job titles were monoprofessional and determined if an intervention was presented.
4: Charting the data	In this study, we decided which information to register and how to compare the various interventions before sorting the material; key issues relevant to the research question, such as education topics, types of healthcare professionals and evaluation methods were included.
5: Collating, summarising and reporting the results	The purpose of a scoping review is not to present evidence the way a systematic review does but to use the reviewed material to help present an overview; we reported data in relation to two theories relevant to medical education: Kern's six-step [11] approach to curriculum development, to assess the educational content, and the interprofessional education outcomes model [20], to evaluate the outcomes of the identified articles.
6: Consultation (optional)	Consulting with stakeholders about results can help in identifying additional articles and provide new insights; all authors of this scoping review comprised a steering group that discussed the findings and implications on an ongoing basis.

We searched online for interprofessional education in organisations such as the American Society of Pediatric Hematology/Oncology (ASPHO) [30], the Nordic Society of Paediatric Haematology and Oncology (NOPHO) [31], the Nordic Society of Pediatric Oncology Nurses (NOBOS) [32] and hospital websites, such as MD Anderson Cancer Center [33] and St. Jude Children's Research Hospital [34].

Stage 3: Study selection To answer the research question, we applied the following four inclusion criteria: (1) postgraduate education interventions (2) in the field of paediatric cancer (3) targeting more than one profession and (4) including an evaluation of the education intervention.

The exclusion criteria were monoprofessional education, education in other medical fields and interventions regarding patient treatment, care and rehabilitation or patient education. Figure 1 illustrates the study selection process.

We (MKT, LIR and MH) independently screened titles and abstracts. If the abstract met the inclusion criteria, full-text papers were obtained and assessed individually by two authors (MKT and MH). Full-text articles are included in supplementary 1. In the event of a disagreement, each author provided justification for their decision-making process until consensus was achieved. When the educational or methodological approaches diverged, JLS was consulted, while a second senior consultant (BL) was consulted of divergences involving paediatric cancer.

Articles in languages other than English as elaborated in supplementary 1 were screened based on abstracts written in English and then filtered according to the inclusion and exclusion criteria.

Endnote X8 was used to store all articles, while the web-based programme Rayyan [35] using a semi-automatic process assisted in screening and sorting studies based on abstracts and titles.

Stage 4: Charting the data We extracted information from the articles regarding general information such as country of

Fig. 1 Search strategy and selection of studies

origin. We also extracted specific information about the healthcare professionals involved and the aims, strategies and outcomes of the educational activities.

Stage 5: Collating, summarising and reporting the results We reported data from the identified articles in accordance with two theories relevant to medical education: Kern's six-step approach to curriculum development [11], to assess the curriculum and educational content, and the modified Kirkpatrick outcomes model [20], to evaluate the outcomes.

Stage 6: Consultation (optional) The scoping review methodology as formulated by Arksey and O'Malley consists of five steps. However, Arksey and O'Malley suggest that including the opinion of stakeholders such as practitioners and consumers can contribute to applicability of the results. This step is optional to researchers and there is no description on when and how to apply this sixth optional step [36].

We applied the sixth step throughout the iterative process of the scoping review when we presented the findings to the steering group. All authors of this scoping review comprised the steering group that discussed the findings and implications on an ongoing basis.

Results

The database searches resulted in 418 records, two of which were removed because they were duplicates. Of the 416 records that remained, a further 385 records were excluded. After reading 31 full-text articles, we identified two additional studies from their reference lists. This process led to the final inclusion of nine studies for analysis as shown in Fig. 1. The excluded 24 articles covered reviews ($n=10$) and 14 articles which did not include an education intervention.

Supplemental information S1 provides an overview of the final nine references' educational activities, an overview of the final 9 references' methodological information, overview of the 33 full-text articles, articles in languages other than English and the number of citations in Scopus.

No relevant interprofessional education was identified in the searched grey [29] literature. Included studies' dates ranged from 1967 to 2017.

MH and MKT consulted with JLS on four occasions to resolve whether full-text articles should be included or excluded.

Results were sub-classified as existing interprofessional education as shown in Table 3 and evaluation of interprofessional education as shown in Table 4.

Existing interprofessional education

The number of participants in each study varied from 19 [37] to 229 [38]. The healthcare professionals represented in the studies were predominantly nurses, physicians and psychosocial staff [37–39]. These groups of interprofessional healthcare professionals were supplemented in one study by a child-life specialist [40], a pharmacist [41] and a music therapist [42]. Two studies only targeted physicians and nurses [43, 44], and one study supplemented these two groups of healthcare professionals with paramedics and patient care technicians [45].

The topics that the interprofessional educations covered included pain management and assessment [38, 39, 41], team training to prevent burnout [37, 40], collaboration of healthcare professionals [43], training on the attitudes of healthcare professionals toward death [42], apheresis training [44] and improving initiation of antibiotics for febrile patients [45].

Learning activities and educational strategies covered in the included studies are seminars [43], educational sessions [38, 41], lectures [42], staff meetings [45], slide presentations [44] and activities such as role play [39], reflections [37] and formal meditations [40].

Evaluation of interprofessional education

Five studies were pre-post intervention studies that compared baseline measurements with outcomes following an intervention [37, 39, 40, 42, 44]. Three studies had control groups [38, 40, 42], one of which randomised participants to either the control or intervention group [40]. Data collected included questionnaires on knowledge [38, 44] and attitudes [38, 42] and information gathered in focus groups [37, 41] and structured interviews [39]. One study collected data from medical records [45], and one training programme offered certification of the skills acquired; however, there was no validation of the certification [44].

None of the identified articles applied a medical education or curriculum model, such as the six-step approach, to curriculum development [11], or Harden's "ten questions to ask when planning a course or curriculum" [46].

None of the nine studies applied systematic evaluation theory to participant assessments in terms of knowledge, skills, attitudes or the effects on patient outcomes, such as quality of care. However, six studies reported statistically significant findings concerning knowledge [38, 44], behaviour change [39] and attitudes [37, 40, 42].

We applied Kirkpatrick's [19] modified model [20] to systematise outcomes across the interventions identified for close analysis as shown in Table 4.

One study reported on the reaction of participants to being part of the intervention [43] (level 1) [20]. Three studies

Table 3 Study characteristics of the nine included studies

Citation, country and study design	Healthcare professionals <i>N</i>	Educational intervention	Aim of education/ intervention	Duration	Theory	Educational strategies	Assessment method	Accreditation of programmes/ assessment of individuals
Bouri et al. 2017 Greece Pre-post study comparing intervention group with control group measured by questionnaires	37 nurses, 21 psychologists, 10 paediatricians and 15 other disciplines (social workers, music therapists, and physiotherapists) <i>N</i> = 83	Paediatric palliative training of health professionals on attitudes toward death	To advance participant's knowledge, skills and attitudes in seven domains: pain, communication, ethics, psychosocial and spiritual care, bereavement support, interdisciplinary teamwork and self-awareness and reflective practice	150-h training programme, 8 months, 2 sessions per month	No theory identified	Lectures, video presentation, discussion of case studies, role play exercises, group discussions, self-reflection exercises. Each participant accompanied a patient throughout the course	The Death Attitude profile-revised (Wong, Reker and Gesser 1994)	Formative assessment
Di Giulio et al. 2013 13 European countries Descriptive report, reporting on projects implemented, publication of results and focus group	10 teams of unspecified number of nurses and physicians	Collaboration between physicians and nurses	To collaboratively explore and facilitate professional groups to work together more effectively	42-day seminars held over a 4-year period	Appreciative inquiry	No specific mention of strategies	1: Elaboration of projects for integrated activities between doctors and nurses 2: Number of projects implemented and successfully completed 3: Publication of the results 4: Feedback from participants on their perception of improvement of collaboration	n/a
Dobrasz et al. 2013 USA Retrospective study reviewing medical records	Registered nurses, paramedics, patient care technicians and physicians <i>N</i> = 271	Nurse-driven protocols for febrile paediatric oncology patients	To evaluate the impact of an evidence-based practice change to streamline the door-to-drug process of prompt identification of febrile patients and initiation of antibiotic therapy	Study period 2008–2012 No further mention of frequency or length	No theory identified	Staff meetings, between shift rallies, weekly e-mail update, skill stations annual competency assessment, visual tracking board	2758 medical records	n/a
Finley et al. 2008 Jordan Action research using mixed methods; qualitative and quantitative	Two groups: Group I: 4 physicians, 2 nurses, 1 pharmacist. Group II: 14 staff nurses, 14 physicians <i>N</i> = 31	Paediatric pain policy and procedures	To execute a capacity building programme to develop, implement and evaluate a paediatric pain management programme	Three 10-day visits over a 2-year period	No theory identified	Educational sessions (no further information)	Chart audit Field observations	n/a
Moody et al. 2013 USA/Israel Pre-post study comparing the intervention group with the control group measured by questionnaires	Nurses, social workers, physicians, nurse practitioners, psychologists and child-life specialists <i>N</i> = 48	Mindfulness training for burnout	To decrease burnout in a multidisciplinary group	15 h over 8 weeks: one initial 6-h session; 6 weekly 1-h follow-up sessions; final 3-h wrap up session	Mindfulness training by Kabat-Zinn	Didactic material topics included "cultivating awareness of body sensations, thoughts, and emotions [...]" exploring individual reactivity to stress.	1) Maslach Burnout Inventory 2) Perceived Stress Scale-14 3) Beck Depression Inventory	n/a

Table 3 (continued)

Citation, country and study design	Healthcare professionals <i>N</i>	Educational intervention	Aim of education/ intervention	Duration	Theory	Educational strategies	Assessment method	Accreditation of programmes/ assessment of individuals
Neyrinck et al. 2015 Indonesia Pre-post study comparing participants knowledge before and after intervention	38 apheresis nurses and 32 physicians <i>N</i> = 70	Apheresis training	To hold a certification course for apheresis nurses/operators based on a training programme	10 modules	No theory identified	reflecting on meaningful experiences and practice, training in skilful listening, and communication and self-care” Formal meditative practices, daily logs Presentations, slides and training the trainer. No further didactics mentioned	Multiple choice test, yes-no and open questions	Non-validated certification
Sands et al. 2008 USA Pre-post study comparing baseline with post intervention measures based on questionnaire and focus groups	6 physicians, 12 nurses and 1 psychosocial member <i>N</i> = 19	Interprofessional training to promote empathy, build teams and prevent burnout	To execute a feasibility and effectiveness study of narrative training	Weekly seminars for 6 weeks	Narrative medicine	Participants wrote and read aloud Facilitated discussion	Baseline and post intervention assessment using Interpersonal Reactivity Index and Stressor Scale for Pediatric Oncology Nurses	No accreditation
Treadwell et al. 2002 UK Pre-post study comparing baseline with post intervention measures based on structured interviews	T1: 36 children and 68 staff (36 physicians, 29 nurses and 3 psychosocial staff) <i>N</i> = 104 T2: 49 children and 82 staff (41 physicians, 35 nurses and 6 psychosocial staff) <i>N</i> = 131	Quality improvement of paediatric pain assessment	To evaluate the impact of a quality improvement approach to implementing developmentally appropriate pain assessment guidelines	Not defined	No theory identified	Staff education included “didactics, discussion and role plays” no mention of specific amount of time	Focus group of 14 participants in 1 h Patient outcome questionnaire developed by American Pain Society for quality improvement of acute and cancer pain modified according to age groups	No accreditation
Zernikow et al. 2008 Germany Longitudinal national quality improvement study based on questionnaire and semi-structured interviews	76 heads of departments/ supervising physicians, 46 ward physicians, 63 head nurses, 44 psychologists and social workers <i>N</i> = 229 363 children and 46 parents were also interviewed	Quality improvement of paediatric pain control	To evaluate a quality improvement study to improve paediatric oncology pain control in Germany	Not defined	No theory identified	Two regularly scheduled formal education sessions on paediatric pain	Questionnaire (not validated) on knowledge on pain Standard pain documentation sheet Semi-structured interviews	n/a

reported on acquisition of knowledge [38, 41, 44] and four studies [37, 40, 42, 43] evaluated the modification of attitudes among healthcare professionals [41] (level 2) [20].

Four studies measured behaviour change outcomes (level 3) [20], including increased compliance to guidelines [38, 39, 45] and increased self-awareness [40].

Three studies [38, 39, 45] reported on level 4b [20] that cover improvements in the health of patients.

Discussion

There is a lack of well-structured, interprofessional education in paediatric cancer that has undergone evaluation. We found few studies that assessed the needs of learners or defined the healthcare needs of the patients. Most studies planned the educational activities according to available standards, competency frameworks and organisational demands.

In the definition of interprofessional education, “occasions when two or more professionals learn with, from and about each other to improve collaboration and the quality of care” [12], the focus is on improving collaboration and the quality of care. We only identified one study [37] with an explicit interprofessional aim. However, there are many definitions of interprofessional collaboration and interprofessional practice which are also sometimes referred to as team work [47]. We adhere to the contingency approach of interprofessional practice as formulated by Reeves et al. that the “design of the team need to be matched to its clinical purpose(s) in order to serve the local needs of patients” [48]. This implies that interprofessional practice depends on two aspects, the clinical purpose and the patients’ needs, and that the choice of which healthcare professionals should collaborate depends on these two aspects.

In designing interprofessional education, focus should be on improving collaboration and heightening the quality of care, relating to i.e. Kirkpatrick’s outcome level 3, which “measures the transfer of interprofessional skills and learning to workplace” [13]. This could be support for behaviour change in the department or willingness of healthcare professionals to apply new knowledge and skills about collaborative work to their practice style.

In medical education, it is fundamental to link curricula to healthcare needs and define aims [11]. Meeting healthcare needs requires an interprofessional approach in many specialties, including paediatric cancer. We can potentially ensure and strengthen treatment and care for children and adolescents with cancer and their families by linking interprofessional education to the healthcare needs of the patients because the best clinical management of children and adolescents with cancer depends on healthcare professionals with various skills and expertise.

Educational strategies were superficially described across studies, and none compared the various effects of educational

methods or teaching strategies in the interventions. A transparent presentation of educational methods can inspire other healthcare professionals to develop curricula and evaluate their education programmes [11, 49, 50]. Furthermore, application of a medical education framework to structure the educational intervention would allow hospital management and department managers to hold medical educators accountable [11].

The identified interventions did not follow any specific evaluation framework, making it difficult to compare them in this scoping review. Incorporating an interprofessional evaluation framework in interventions can serve to aid systematic evaluation of the usefulness of education programmes [49]. Even though Kirkpatrick and Barr et al. have been subject to criticism due to the apparent simplicity of the outcomes models [51–54], both models are helpful in the process of planning the evaluation of medical education.

Limitations of the review

The primary limitation of this scoping review is the low number of included studies making the generalisability of the results difficult. The heterogeneity of the findings challenges the interpretation of the results extracted. To counteract this, we presented our results transparently to increase credibility.

In the nine articles reviewed, self-reported measures were used in evaluating outcomes related to healthcare professional knowledge, skills and attitudes. An inherent weakness in self-reported outcome measurement is that individuals often over- or underestimate their knowledge, skills and behaviours [55, 56]. In this scoping review, three studies reported on acquisition of skills [39, 41, 45]; however, only two studies documented this [39, 45]. Instead, surrogate outcomes such as 24-h chart audits [41] or tests of knowledge of what to do (skill) in case of machine breakdown [44] were used to indicate that an increase in the knowledge of the healthcare professionals was associated with behaviour change.

According to Arksey and O’Malley, the purpose of a scoping review is to aid in determining the value of undertaking a full systematic review [26]. We suggest that the application of a systematic review methodology, such as PRISMA Statement [28], would not currently be feasible due to the heterogeneity and limited number of relevant studies.

Even though the scoping review methodology allows for inclusion of grey literature [29], we did not systematically include it in the findings. It is possible, however, that organisations, such as NOPHO, NOBOS and ASPHO, and hospitals, such as the MD Anderson Cancer Center or St. Jude Children’s Research Hospital, have developed and implemented interprofessional education without publishing or posting online.

Table 4 Application of Kirkpatrick’s modified interprofessional education outcomes model by Barr et al. 2005

Study	Educational intervention	Kirkpatrick levels	Main outcomes
Bouri et al. 2017	Paediatric palliative training on attitudes toward death of health professionals	Level 2a Modification of attitudes	Higher scores in the intervention group than control group in all measurements
Di Giulio et al. 2013	Collaboration between physicians and nurses	Level 1 Reaction Level 2a Modification of attitudes/perception Level 2b Acquisition of knowledge/skills	Impressions of being involved Participants “felt that their attitude to[ward] collaboration had improved” Five teams published in non-peer-reviewed publications and presented outputs at conferences
Dobrasz et al. 2013	Nurse-driven protocols for febrile paediatric oncology patients	Level 3 Behaviour change Level 4b Benefits to patients/clients	Increased compliance with protocol Faster response to administration of drugs Decreased length of hospital stays Reduced systemic infection and mortality
Finley et al. 2008	Paediatric pain policy and procedures	Level 2a Modification of attitudes/perception Level 2b Acquisition of knowledge/skills Level 3 Behaviour change	After implementation of programme, physicians and nurses administered opioids, and continuous opioid infusions were used for various types of pain Increased assessment of children’s pain Daily informal teaching and consultation
Moody et al. 2013	Mindfulness training for burnout	Level 2a Modification of attitudes/perception Level 3 Behavioural change	Assessment of emotional exhaustion, depersonalisation and personal accomplishment Mindfulness of one’s actions and awareness of the effects of working with this patient population Greater focus and efficacy at work
Neyrinck et al. 2015	Apheresis training	Level 2b Acquisition of knowledge/skills	Nurses and physicians increased their knowledge significantly
Sands et al. 2008	Interprofessional training to promote empathy, build teams and prevent burnout	Level 2a Modification of attitudes/perceptions	Increased ability in the “perspective training” domain Improvement in the “empathic concern” domain Perceived stress levels increased
Treadwell et al. 2002	Quality improvement of paediatric pain assessment	Level 2a Modification of attitudes/perceptions Level 3 Behavioural change Level 4b Benefits to patients/clients	Significant increase in staff satisfaction Significant increase in pain assessment Increased compliance with pain assessment documentation guidelines Patients and caregivers reported significant increase in the staff’s use of pain measures Increased staff responsiveness and greater use of adjunctive pain management strategies
Zernikow et al. 2008	Quality improvement of paediatric pain control	Level 2b Acquisition of knowledge/skills Level 4b Benefits to patients/clients	Increased application of pain scale Significant decrease in painful modes of analgesic administration Increased use of pure u-opioids agonist Knowledge improvement of neuropathic pain treatment Significant reduction of daily pain intensity rated by patients and parents Significant decrease in severe pain frequency reported by patients and parents

Conclusion

In conclusion, medical education should be viewed similar to any other health technology, which is why evidence-based

practice and evaluation for clinical practice in paediatric cancer is necessary to derive the most benefit from educational interventions [15]. This scoping review illustrates the lack of interprofessional education in paediatric cancer.

Perspectives

Based on the education theory and literature, we recommend that future interprofessional educations apply a medical education framework [11, 46] in designing interventions; select aims and objectives based on a needs assessment [11]; define outcomes before designing the intervention, with patient outcomes included when possible [57]; select topics relevant for an interprofessional education intervention, though some interventions are more relevant for monoprofessional education [58]; and, finally, use of a systematic approach to the evaluation [19, 20] with the allocation of relevant resources [11].

Acknowledgements Information specialist Anders Larsen, University Hospitals Centre for Research in Health (UCSF), assisted in generating the strategy for the literature search. Head nurse Marianne Madsen and department nurse Pernille Roland of the Department of Paediatrics and Adolescent Medicine contributed valuable insights at the steering group meetings.

Authorship contribution The following authors were part of formulating the research question and developing the search strategy: MKTOP, MH and JLS, while MKTOP did the database search and the following authors did the record screening: MKTOP, LIR and MH. The full-text assessment was done by MKTOP, MH and JLS. Finally, MKTOP, JLS and MH drafted the manuscript, which was revised and approved by all authors.

Funding The Danish Childhood Cancer Foundation supported this project.

Compliance with ethical standards

Conflict of interest The authors declare that they have no conflict of interest.

Details of ethics approval No ethics approval was needed for this study.

Open Access This article is distributed under the terms of the Creative Commons Attribution 4.0 International License (<http://creativecommons.org/licenses/by/4.0/>), which permits unrestricted use, distribution, and reproduction in any medium, provided you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made.

References

- Gatta G, Botta L, Rossi S, Aareleid T, Bielska-Lasota M, Clavel J, Dimitrova N, Jakab Z, Kaatsch P, Lacour B, Mallone S, Marcos-Gragera R, Minicozzi P, Sánchez-Pérez MJ, Sant M, Santaquilani M, Stiller C, Tavilla A, Trama A, Visser O, Peris-Bonet R, EURO CARE Working Group (2014) Childhood cancer survival in Europe 1999–2007: results of EURO CARE-5—a population-based study. *Lancet Oncol* 15(1):35–47
- Alexander S, Pole JD, Gibson P, Lee M, Hesser T, Chi SN et al (2015) Classification of treatment-related mortality in children with cancer: a systematic assessment. *Lancet Oncol* 16(16):e604–e610
- Anderson RA, Marshall NS (2000) The importance of the pediatric oncologist-nurse partnership in the delivery of total care in pediatric oncology. *Med Pediatr Oncol* 34(4):263–264
- Hjorth L, Haupt R, Skinner R, Grabow D, Byrne J, Karner S, Levitt G, Michel G, van der Pal H, Bárdi E, Beck JD, de Vathaire F, Essig S, Frey E, Garwicz S, Hawkins M, Jakab Z, Jankovic M, Kazanowska B, Kepak T, Kremer L, Lackner H, Sugden E, Terenziani M, Zaletel LZ, Kaatsch P, PanCare Network (2015) Survivorship after childhood cancer: PanCare: a European network to promote optimal long-term care. *Eur J Cancer (Oxford, England : 1990)* 51(10):1203–1211
- Andam R, Silva M (2008) A journey to pediatric chemotherapy competence. *J Pediatr Nurs* 23(4):257–268
- Gibson F (2009) Multiprofessional collaboration in children's cancer care: believed to be a good thing but how do we know when it works well? *Eur J Cancer Care* 18(4):327–329
- Reaman GH (2004) Pediatric cancer research from past successes through collaboration to future transdisciplinary research. *J Pediatr Oncol Nurs* 21(3):123–127
- Harden RM (2001) AMEE Guide No. 21: Curriculum mapping: a tool for transparent and authentic teaching and learning AU. *Med Teach* 23(2):123–137
- Cook DA, Bordage G, Schmidt HG (2008) Description, justification and clarification: a framework for classifying the purposes of research in medical education. *Med Educ* 42(2):128–133
- Morrison J (2003) ABC of learning and teaching in medicine: evaluation. *BMJ (Clinical research ed)* 326(7385):385–387
- Thomas PA, Kern DE, Hughes MT, Chen BY (2016) Curriculum development for medical education : a six-step approach. Springer Publishing Company, Baltimore
- Freeth DH, Hammick M, Reeves S, Koppel I, Barr H (2005) In: Barr H (ed) Effective interprofessional education: development, delivery, and evaluation. Blackwell Wiley, Oxford
- Reeves S, Pelone F, Harrison R, Goldman J, Zwarenstein M (2017) Interprofessional collaboration to improve professional practice and healthcare outcomes. *Cochrane Database Syst Rev* 6:Cd000072
- Reeves S, Fletcher S, Barr H, Birch I, Boet S, Davies N, McFadyen A, Rivera J, Kitto S (2016) A BEME systematic review of the effects of interprofessional education: BEME Guide No. 39. *Med Teach* 38(7):656–668
- Pehrson C, Sorensen JL, Amer-Wahlin I (2011) Evaluation and impact of cardiocography training programmes: a systematic review. *BJOG* 118(8):926–935
- Thannhauser J, Russell-Mayhew S, Scott C (2010) Measures of interprofessional education and collaboration. *J Interprof Care* 24(4):336–349
- Reeves S (2016) Ideas for the development of the interprofessional education and practice field: an update. *J Interprof Care* 30(4):405–407
- Reeves S, Zwarenstein M, Goldman J, Barr H, Freeth D, Koppel I, Hammick M (2010) The effectiveness of interprofessional education: key findings from a new systematic review. *J Interprof Care* 24(3):230–241
- Kirkpatrick DLKJL (2006) Evaluating training programs. Berrett-Koehler Publishers, Inc., San Francisco
- Barr H, Koppel I, Reeves S, Hammick M, Freeth D, Centre for the Advancement of Interprofessional Education in Primary Health and Community C (2005) Effective interprofessional education : argument, assumption & evidence, vol xxiv. Blackwell, Oxford, p 180 s
- Brandt B, Lutfiyya MN, King JA, Chioreso C (2014) A scoping review of interprofessional collaborative practice and education using the lens of the triple aim. *J Interprof Care* 28(5):393–399
- Daudt HM, van Mossel C, Scott SJ (2013) Enhancing the scoping study methodology: a large, inter-professional team's experience with Arksey and O'Malley's framework. *BMC Med Res Methodol* 13:48
- Goldman J, Zwarenstein M, Bhattacharyya O, Reeves S (2009) Improving the clarity of the interprofessional field: implications

- for research and continuing interprofessional education. *J Contin Educ Heal Prof* 29(3):151–156
24. Reeves S, Goldman J, Gilbert J, Tepper J, Silver I, Suter E, Zwarenstein M (2011) A scoping review to improve conceptual clarity of interprofessional interventions. *J Interprof Care* 25(3):167–174
 25. Suter E, Goldman J, Martimianakis T, Chatalalsingh C, DeMatteo DJ, Reeves S (2013) The use of systems and organizational theories in the interprofessional field: findings from a scoping review. *J Interprof Care* 27(1):57–64
 26. Arksey H, O'Malley L (2005) Scoping studies: towards a methodological framework. *Int J Soc Res Methodol* 8(1):19–32
 27. Grant MJ, Booth A (2009) A typology of reviews: an analysis of 14 review types and associated methodologies. *Health Inf Libr J* 26(2):91–108
 28. Liberati A, Altman DG, Tetzlaff J, Mulrow C, Gotzsche PC, Ioannidis JP et al (2009) The PRISMA statement for reporting systematic reviews and meta-analyses of studies that evaluate health care interventions: explanation and elaboration. *J Clin Epidemiol* 62(10):e1–e34
 29. Adams RJ, Smart P, Huff AS (2017) Shades of grey: guidelines for working with the grey literature in systematic reviews for management and organizational studies. *Int J Manag Rev* 19(4):432–454
 30. Hematology/Oncology ASoP (2018) Available from: <http://aspho.org/>. Accessed September 2018
 31. NOPHO NSoPhaO (2018) Available from: <http://www.nopho.org/welcome/frame.htm>. Accessed September 2018
 32. NOBOS NSoPON (2018) Available from: <http://nobos.org>. Accessed September 2018
 33. Anderson M (2018) Available from: <https://www.mdanderson.org/education-training.html>. Accessed September 2018
 34. Judes S (2018) Available from: <https://www.stjude.org/>. Accessed September 2018
 35. Ouzzani M, Hammady H, Fedorowicz Z, Elmagarmid A (2016) Rayyan—a web and mobile app for systematic reviews. *Syst Rev* 5(1):210
 36. Levac D, Colquhoun H, O'Brien KK (2010) Scoping studies: advancing the methodology. *Implement Sci* 5:69
 37. Sands SA, Stanley P, Charon R (2008) Pediatric narrative oncology: interprofessional training to promote empathy, build teams, and prevent burnout. *J Support Oncol* 6(7):307–312
 38. Zernikow B, Hasan C, Hechler T, Huebner B, Gordon D, Michel E (2008) Stop the pain! A nation-wide quality improvement programme in paediatric oncology pain control. *Eur J Pain* 12(7):819–833
 39. Treadwell MJ, Franck LS, Vichinsky E (2002) Using quality improvement strategies to enhance pediatric pain assessment. *Int J Qual Health Care* 14(1):39–47
 40. Moody K, Kramer D, Santizo RO, Magro L, Wyshogrod D, Ambrosio J et al (2013) Helping the helpers: mindfulness training for burnout in pediatric oncology—a pilot program. *J Pediatr Oncol Nurs* 30(5):275–284
 41. Finley GA, Forgeron P, Arnaout M (2008) Action research: developing a pediatric cancer pain program in Jordan. *J Pain Symptom Manag* 35(4):447–454
 42. Bouri M, Papadatou D, Koukoutsakis P, Bitsakou P, Kafetzis D (2017) The impact of pediatric palliative care training on the death attitudes of. *Health Profession Int J Caring Sci* 10(2):676–689
 43. Di Giulio P, Arnfield A, English MW, Fitzgerald E, Kelly D, Jankovic M et al (2013) Collaboration between doctors and nurses in children's cancer care: insights from a European project. *Eur J Oncol Nurs* 17(6):745–749
 44. Neyrinck M, Vrielink H (2015) Apheresis training for nurses and physicians around the world. *J Clin Apher* 30(1):32–37
 45. Dobrasz G, Hatfield M, Jones LM, Berdis JJ, Miller EE, Entrekin MS (2013) Nurse-driven protocols for febrile pediatric oncology patients. *J Emerg Nurs* 39(3):289–295
 46. Harden RM (1986) Ten questions to ask when planning a course or curriculum. *Med Educ* 20(4):356–365
 47. Nancarrow SA, Booth A, Ariss S, Smith T, Enderby P, Roots A (2013) Ten principles of good interdisciplinary team work. *Hum Resour Health* 11:19
 48. Reeves S, Xyrichis A, Zwarenstein M (2018) Teamwork, collaboration, coordination, and networking: why we need to distinguish between different types of interprofessional practice. *J Interprof Care* 32(1):1–3
 49. Reeves S, Boet S, Zierler B, Kitto S (2015) Interprofessional education and practice guide no. 3: evaluating interprofessional education. *J Interprof Care* 29(4):305–312
 50. Hean S, Green C, Anderson E, Morris D, John C, Pitt R & O'Halloran C (2018) The contribution of theory to the design, delivery, and evaluation of interprofessional curricula: BEME guide no. 49. *Med Teach* 4(6):542–558. <https://doi.org/10.1080/0142159X.2018.1432851>
 51. Moreau KA (2017) Has the new Kirkpatrick generation built a better hammer for our evaluation toolbox? *Med Teach* 39(9):999–1001
 52. Deniz E (2002) Approaches to evaluation of training: theory & practice. *J Educ Technol Soc* 5(2):93–98
 53. Tamkin P, Yarnall J, Kerrin M (2002) Kirkpatrick and beyond: a review of training evaluation, IES report 392. Institute for Employment Studies, Brighton
 54. Bates R (2004) A critical analysis of evaluation practice: the Kirkpatrick model and the principle of beneficence. *Eval Program Plann* 27:341–347
 55. Reeves S, Fletcher S, McLoughlin C, Yim A, Patel KD (2017) Interprofessional online learning for primary healthcare: findings from a scoping review. *BMJ Open* 7(8):e016872
 56. Davis DA, Mazmanian PE, Fordis M, Van Harrison R, Thorpe KE, Perrier L (2006) Accuracy of physician self-assessment compared with observed measures of competence: a systematic review. *Jama*. 296(9):1094–1102
 57. Cook DA, West CP (2013) Perspective: reconsidering the focus on “outcomes research” in medical education: a cautionary note. *Acad Med* 88(2):162–167
 58. Centellas KM, Smardon RE, Fifield S (2013) Calibrating translational cancer research: collaboration without consensus in interdisciplinary laboratory meetings. *Sci Technol Hum Values* 39(3):311–335

Publisher's note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.